ELSEVIER

Journal of Organometallic Chemistry 588 (1999) 281

Journal of Organometallic Chemistry

Author Index of Volume 588

Abd-Elzaher, M.M., 235
Abdul Malik, K.M., 211
Akther, J., 211
Azam, K.A., 211

Baskir, E.G., 60
Batsanov, A.S., 176
Beckett, M.A., 107
Beck, W., 247
Belyakov, S., 222
Boga, C., 155
Böhm, A., 247
Braddock-Wilking, J., 51
Braunschweig, H., 231
Breunig, H.J., 256
Buchowicz, W., 205
Bukalov, S.S., 60

Chang, R.-E., 160
Chang, Y.-C., 160
Cho, M.H., 268
Chui, K., 78
Cuenca, T., 134

Das, A.R., 211
del Real, P.A., 22
Del Vecchio, E., 155
Dickson, P.M., 42
Diedrich, F., 242

Egorov, M.P., 60
Elgafi, S., 69
Elsegood, M.R.J., 200

Field, L.D., 69
Fischer, H., 235
Forlani, L., 155
Fuerte, A., 186
Fuh, Y.-S., 260

Garbuzova, I.A., 60
Gervasio, G., 83
Giordano, R., 83
Goldberg, I., 92
Gómez, R., 22
Gómez-Sal, P., 22, 134
Guzei, I.A., 167

Hambley, T.W., 69
Heeg, M.J., 42, 167
Hillier, A.C., 200
Hong, F.-E., 160
Hsu, M.-A., 32
Hughes, S.J., 176
Hursthouse, M.B., 211

Iglesias, M., 186
Ignatovich, L., 222

Jung, I., 9

Kabir, S.E., 211
Kelly, J.F., 176
Kim, B., 1
Kim, C., 1, 9
Kim, Y.-J., 268
Klingebiel, U., 242
Koster, M., 231
Kuo, C.-Y., 260

Lau, C.S.-W., 113
Lee, G.-H., 32, 125, 260
Lee, S.-C., 268
Lee, S.-W., 268
Lee, V.Y., 60
Leites, L.A., 60
Levchinsky, Y., 51
Liable-Sands, L.M., 167
Liao, F.-L., 160
Lin, C.-C., 160
Liu, Z., 78
Long, C., 195
Lork, E., 256
Lukevics, E., 222
Lutz, M., 205

Mak, T.C.W., 78
Marabello, D., 83
Martín, C., 134
McGowan, M.A.D., 42
M. Draper, S., 195
Messerle, B.A., 69
Milanesi, L., 155
Myers, B.M., 195
Mol, J.C., 205
Moss, J.R., 176

Naidoo, K.J., 176
Nefedov, O.M., 60
Nixon, J.F., 28
Nyulászi, L., 28

Oliver, J.P., 42
Owen, P., 107

Parr, J., 99
Peng, S.-M., 32, 260
Pfeiffer, D., 167

Rath, N.P., 51
Reshef, D., 92
Rheingold, A.L., 167
Rosenberg, E., 211
Rösler, R., 256
Royo, B., 134
Royo, P., 22, 134

Sánchez, F., 186
Sappa, E., 83
Schäfer, M., 242
Schneider, B., 92
Sella, A., 200
Shim, J.-G., 20
Shiue, J.-Y., 260
Shvo, Y., 92
Silvestru, A., 256
Slawin, A.M.Z., 99
Smith, M.B., 99
Son, S., 1
Spek, A.L., 205
Stanciu, M., 256
Stein, Z., 92

Tesmer, M., 211
Todesco, P.E., 155
Turner, P., 69

Vahrenkamp, H., 211
Varma, K.S., 107

Wang, S.-L., 160
Wang, Y., 125
Winter, C.H., 167
Wong, W.-T., 113

Xie, Z., 78
Xue, F., 78

Yearwood, B., 42
Yeh, W.-Y., 32
Yih, K.-H., 125
Yu, S.J., 260

PII: S0022-328X(99)00493-3

ELSEVIER

Journal of Organometallic Chemistry 588 (1999) 283–287

Journal of Organometallic Chemistry

Subject Index of Volume 588

Ab initio
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
Ab initio calculations
1-(2,4,6-Tri-tertiarybutylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28
Acceptor number
Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107
Alkyl
Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5\text{-}C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5\text{-}C_5H_4)_2\}(CH_2Ph)]_2(\mu\text{-}O)$, 134
μ-Alkyne-bridged
Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordination of dicobalt octacarbonyl; X-ray crystal structures of $Co_2(CO)_4(\mu\text{-}P,N\text{-}PPh_2py)\{\mu\text{-}HC{\equiv}CSiMe_3\}$, and $Co_4(CO)_{10}(\mu\text{-}P,N\text{-}PPh_2py)$, 160
Allenyltributylstannane
Catalytic propargylation of aldehydes with allenyltributylstannane by ytterbium triflate, 20
Amido-silylcyclopentadienyl
Cationic species derived from the η^1-amidosilyl-η^5-cyclopentadienyl dimethyl titanium complex. Crystal structure of $[Ti\{\eta^5\text{-}C_5H_4SiMe_2[\eta^1\text{-}N(2,6\text{-}Me_2C_6H_3)]\}\{CH_2B(C_6F_5)_2\}(C_6F_5)]$, 22
Antimony
Synthesis and crystal structures of two trigonal bipyramidal Sb(V) compounds, R_2SbBr_3 and $R_3Sb(S_2PPh_2)_2$ ($R = Me_3SiCH_2$), 256
Aromatic heterocycles
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
Aromaticity
1-(2,4,6-Tri-tertiarybutylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28
Arylsilane
Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-ray structures of $(TMP)SiH_3$, $(TMP)_2SiH_2$, and $(TMP)_3SiH$, 51
Aryltrihalogenogermane
Synthesis and molecular structure of phenyl and tolylgermatranes, 222
Azetidinylidene complexes
Synthesis of azetidinylidene complexes from $[(CO)_5M(CH_2Cl_2)]$, phenylacetylene and imines and oxidative decomplexation to give β-lactams, 235

Bidentate ligand
Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordination of dicobalt octacarbonyl; X-ray crystal structures of $Co_2(CO)_4(\mu\text{-}P,N\text{-}PPh_2py)\{\mu\text{-}HC{\equiv}CSiMe_3\}$, and $Co_4(CO)_{10}(\mu\text{-}P,N\text{-}PPh_2py)$, 160
Bimetallic compounds
Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordination of dicobalt octacarbonyl; X-ray crystal structures of $Co_2(CO)_4(\mu\text{-}P,N\text{-}PPh_2py)\{\mu\text{-}HC{\equiv}CSiMe_3\}$, and $Co_4(CO)_{10}(\mu\text{-}P,N\text{-}PPh_2py)$, 160
Bisimidazolylmethane
Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69
Borate esters
Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107
Bridged borylene complexes
Diborane(4)yl and bridged borylene complexes from 1,2-dipyrrolidino- and 1,2-dipiperidinodiborane(4) derivatives, 231

Carbene complex
A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $Ru_2(=CHPh)_2(CF_3CO_2)_2(\mu\text{-}CF_3CO_2)_2(PCy_3)_2(\mu\text{-}H_2O)$, 205
Carbon disulfide
Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Et_4N][Mo(CO)_4\{\eta^2\text{-}S_2P(OEt)_2\}]$ and $[Mo(CH_3CN)(\eta^3\text{-}C_3H_5)(CO)_2\{\eta^2\text{-}S_2P(OEt)_2\}]$, 125
Carbonyl
Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[HRe_4(CO)_{17}]^-$, 200
Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69
Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113
The photochemistry of $(\mu_2\text{-}RC_2H)Co_2(CO)_6$ species ($R = H$ or C_6H_5), important intermediates in the Pauson–Khand reaction, 195
Catalytic propargylation
Catalytic propargylation of aldehydes with allenyltributylstannane by ytterbium triflate, 20
Cationic alkyltitanium complexes
Cationic species derived from the η^1-amidosilyl-η^5-cyclopentadienyl dimethyl titanium complex. Crystal structure of $[Ti\{\eta^5\text{-}C_5H_4SiMe_2[\eta^1\text{-}N(2,6\text{-}Me_2C_6H_3)]\}\{CH_2B(C_6F_5)_2\}(C_6F_5)]$, 22
C–C coupling reactions
Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl–Rhenium- und Palladium–Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247

PII: S0022-328X(99)00494-5

Chemistry
Preparation, chemistry, and structure of new ruthenium complexes, 92
Chlorination
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
Chloro
Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5\text{-}C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5\text{-}C_5H_4)_2\}(CH_2Ph)]_2(\mu\text{-}O)$, 134
Clusters
Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[HRe_4(CO)_{17}]^-$, 200
Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113
Cobalt
Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32
The photochemistry of $(\mu_2\text{-}RC_2H)Co_2(CO)_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195
Cobalt cluster
Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordination of dicobalt octacarbonyl; X-ray crystal structures of $Co_2(CO)_4(\mu\text{-}P,N\text{-}PPh_2py)\{\mu\text{-}HC{\equiv}CSiMe_3\}$, and $Co_4(CO)_{10}(\mu\text{-}P,N\text{-}PPh_2py)$, 160
Continuum
Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2Sm]_2(\mu\text{-}O)(\mu\text{-}OH_2)$ and three distinct crystalline forms of $[\{(Me_3Si)_2C_5H_3\}_2Sm(\mu\text{-}OH)]_2$, 78
Crystallography
Preparation, chemistry, and structure of new ruthenium complexes, 92
Crystal structure
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
Synthesis and molecular structure of phenyl and tolylgermatranes, 222
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99
[2 + 3] Cycloaddition
Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl–Rhenium- und Palladium–Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247

Dendrimers
Dendritic carbosilanes containing hydroxy groups on the periphery, 1
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
Preparation of dendritic carbosilanes containing ethynyl groups and dicobalt hexacarbonyl clusters on the periphery, 9
Dendritic carbosilane
Dendritic carbosilanes containing hydroxy groups on the periphery, 1
Preparation of dendritic carbosilanes containing ethynyl groups and dicobalt hexacarbonyl clusters on the periphery, 9
Dendritic cobalt carbonyl cluster
Preparation of dendritic carbosilanes containing ethynyl groups and dicobalt hexacarbonyl clusters on the periphery, 9
Dendritic polyol
Dendritic carbosilanes containing hydroxy groups on the periphery, 1
Diborane(4)yl
Diborane(4)yl and bridged borylene complexes from 1,2-dipyrrolidino- and 1,2-dipiperidinodiborane(4) derivatives, 231
Diethyldithiophosphato ligand
Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Et_4N][Mo(CO)_4\{\eta^2\text{-}S_2P(OEt)_2\}]$ and $[Mo(CH_3CN)(\eta^3\text{-}C_3H_5)(CO)_2\{\eta^2\text{-}S_2P(OEt)_2\}]$, 125
Dipalladium complex
Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5′) -bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
1,3-Diphenyltriazenido ligands
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167

Enolate complexes
Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl–Rhenium- und Palladium–Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247
Erbium
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167

Ferrocenyl
Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113
Flash photolysis
The photochemistry of $(\mu_2\text{-}RC_2H)Co_2(CO)_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195
Force field
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176

Germatrane
Synthesis and molecular structure of phenyl and tolylgermatranes, 222
Grignard reagents
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
Group 4 elements
Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107
Group VI transition metals
Syntheses and chemistry of Tris(2-pyridyl)phosphine complexes of Group VI transition metals. X-ray structural studies of the molybdenum complexes, 260

Hafnium
Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5\text{-}C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5\text{-}C_5H_4)_2\}(CH_2Ph)]_2(\mu\text{-}O)$, 134

Heterometallic clusters
Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32
Homogeneous catalysis
Homogeneous hydrogenation of diphenylacetylene in the presence of $Ru_3(CO)_9L_3$ ($L = PPh_3$, PEt_3). The crystal structure of $Ru_3(CO)_{10}(PEt_3)_2$: a reaction intermediate?, 83
Hydride
Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[HRe_4(CO)_{17}]^-$, 200
Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
Hydroformylation
New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
Hydrogenation
Homogeneous hydrogenation of diphenylacetylene in the presence of $Ru_3(CO)_9L_3$ ($L = PPh_3$, PEt_3). The crystal structure of $Ru_3(CO)_{10}(PEt_3)_2$: a reaction intermediate?, 83
New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
Hydroxo
Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2Sm]_2(\mu\text{-}O)(\mu\text{-}OH_2)$ and three distinct crystalline forms of $[\{(Me_3Si)_2C_5H_3\}_2Sm(\mu\text{-}OH)]_2$, 78

Imidazo(1,2-*a*)pyridine
Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
Inorganic heterocycle
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99
Insertion reaction
Anionische 1,2-(O→N)- und neutrale 1,2-(N→O, O→N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Et_4N][Mo(CO)_4\{\eta^2\text{-}S_2P(OEt)_2\}]$ and $[Mo(CH_3CN)(\eta^3\text{-}C_3H_5)(CO)_2\{\eta^2\text{-}S_2P(OEt)_2\}]$, 125
Iodide
Preparation, chemistry, and structure of new ruthenium complexes, 92
Iridacycle
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99
Iron
Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32
Isomers
Anionische 1,2-(O→N)- und neutrale 1,2-(N→O, O→N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242

Kinetics
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42

β-lactams
Synthesis of azetidinylidene complexes from $[(CO)_5M(CH_2Cl_2)]$, phenylacetylene and imines and oxidative decomplexation to give β-lactams, 235

Lanthanides
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167
Lewis acidity
Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107
Ligand exchange
Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69
Lithium compounds
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
Lutetium
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167

Mechanism
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
Metal–halogen exchange
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
Metathesis
A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $Ru_2(=CHPh)_2(CF_3CO_2)_2(\mu\text{-}CF_3CO_2)_2(PCy_3)_2(\mu\text{-}H_2O)$, 205
Methyl oleate
A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $Ru_2(=CHPh)_2(CF_3CO_2)_2(\mu\text{-}CF_3CO_2)_2(PCy_3)_2(\mu\text{-}H_2O)$, 205
MNDO calculation
Synthesis and molecular structure of phenyl and tolylgermatranes, 222
Molecular mechanics
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
Molybdenum
Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32
Syntheses and chemistry of Tris(2-pyridyl)phosphine complexes of Group VI transition metals. X-ray structural studies of the molybdenum complexes, 260
Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Et_4N][Mo(CO)_4\{\eta^2\text{-}S_2P(OEt)_2\}]$ and $[Mo(CH_3CN)(\eta^3\text{-}C_3H_5)(CO)_2\{\eta^2\text{-}S_2P(OEt)_2\}]$, 125

Nitrogen-containing compounds
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167
NMR
Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
NMR spectroscopy
Diborane(4)yl and bridged borylene complexes from 1,2-dipyrrolidino- and 1,2-dipiperidinodiborane(4) derivatives, 231
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99

O-Lithium-*N*,*N*-bis(silyl)hydroxylamide
Anionische 1,2-(O→N)- und neutrale 1,2-(N→O, O→N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
Oxidative decomplexation
Synthesis of azetidinylidene complexes from $[(CO)_5M(CH_2Cl_2)]$, phenylacetylene and imines and oxidative decomplexation to give β-lactams, 235
Oxo
Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2Sm]_2(\mu\text{-}O)(\mu\text{-}OH_2)$ and three distinct crystalline forms of $[\{(Me_3Si)_2C_5H_3\}_2Sm(\mu\text{-}OH)]_2$, 78
Oxoalkyl
Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5\text{-}C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5\text{-}C_5H_4)_2\}(CH_2Ph)]_2(\mu\text{-}O)$, 134

Palladium
Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5′) -bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
Parameterisation
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
Pauson–Khand
The photochemistry of $(\mu_2\text{-}RC_2H)Co_2(CO)_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195
Phase transition
Vibrational and electronic spectra of tetrahedral molecules $(Me_3M)_4M'$ (M = Si, Sn; M′ = Si, Ge) with heteronuclear M–M′ bonds, 60
Phosphine-substituted ruthenium clusters
Homogeneous hydrogenation of diphenylacetylene in the presence of $Ru_3(CO)_9L_3$ (L = PPh_3, PEt_3). The crystal structure of $Ru_3(CO)_{10}(PEt_3)_2$: a reaction intermediate?, 83
Phosphorus
Synthesis and crystal structures of two trigonal bipyramidal Sb(V) compounds, R_2SbBr_3 and $R_3Sb(S_2PPh_2)_2$ (R = Me_3SiCH_2), 256
Phosphorus(V) ligands
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99
Photochemistry
The photochemistry of $(\mu_2\text{-}RC_2H)Co_2(CO)_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195
Planar triphosphole
1-(2,4,6-Tri-tertiarybutylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28
Pseudo-halides
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99

Raman, IR, UV spectra
Vibrational and electronic spectra of tetrahedral molecules $(Me_3M)_4M'$ (M = Si, Sn; M′ = Si, Ge) with heteronuclear M–M′ bonds, 60
Reaction intermediates
Homogeneous hydrogenation of diphenylacetylene in the presence of $Ru_3(CO)_9L_3$ (L = PPh_3, PEt_3). The crystal structure of $Ru_3(CO)_{10}(PEt_3)_2$: a reaction intermediate?, 83
Rhenium
Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[HRe_4(CO)_{17}]^-$, 200
Rhodium
New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69
Rotational barrier
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
Ruthenium
A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $Ru_2(=CHPh)_2(CF_3CO_2)_2(\mu\text{-}CF_3CO_2)_2(PCy_3)_2(\mu\text{-}H_2O)$, 205
Preparation, chemistry, and structure of new ruthenium complexes, 92
Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113
Samarium
Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2Sm]_2(\mu\text{-}O)(\mu\text{-}OH_2)$ and three distinct crystalline forms of $[\{(Me_3Si)_2C_5H_3\}_2Sm(\mu\text{-}OH)]_2$, 78
Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[HRe_4(CO)_{17}]^-$, 200
Schiff bases from glycine and peptide esters
Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl–Rhenium- und Palladium–Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247
Selenium
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
Silanediyl-cyclopentadienyl
Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5\text{-}C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5\text{-}C_5H_4)_2\}(CH_2Ph)]_2(\mu\text{-}O)$, 134
Silicon
Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-ray structures of $(TMP)SiH_3$, $(TMP)_2SiH_2$, and $(TMP)_3SiH$, 51
Silylaminodisiloxane
Anionische 1,2-(O→N)- und neutrale 1,2-(N→O, O→N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
Silyl- and stannyl-substituted silanes and germanes
Vibrational and electronic spectra of tetrahedral molecules $(Me_3M)_4M'$ (M = Si, Sn; M′ = Si, Ge) with heteronuclear M–M′ bonds, 60
Solid state structure
Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-

ray structures of $(TMP)SiH_3$, $(TMP)_2SiH_2$, and $(TMP)_3SiH$, 51
Steric effects
1-(2,4,6-Tri-tertiarybutylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28
Steric hindrance
Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-ray structures of $(TMP)SiH_3$, $(TMP)_2SiH_2$, and $(TMP)_3SiH$, 51
Structure
Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2Sm]_2(\mu\text{-}O)(\mu\text{-}OH_2)$ and three distinct crystalline forms of $[\{(Me_3Si)_2C_5H_3\}_2Sm(\mu\text{-}OH)]_2$, 78
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
Supported catalysts
New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
Synthesis
Preparation, chemistry, and structure of new ruthenium complexes, 92

Tetrahedral symmetry
Vibrational and electronic spectra of tetrahedral molecules $(Me_3M)_4M'$ (M = Si, Sn; M' = Si, Ge) with heteronuclear M–M' bonds, 60
Thermal rearrangement
Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
Thienyl
Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5′) -bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
Thienylene bridged
Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5′) -bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
Thioketene
Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5′) -bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
Titanium
Cationic species derived from the η^1-amidosilyl-η^5-cyclopentadienyl dimethyl titanium complex. Crystal structure of $[Ti\{\eta^5\text{-}C_5H_4SiMe_2[\eta^1\text{-}N(2,6\text{-}Me_2C_6H_3)]\}\{CH_2B(C_6F_5)_2\}(C_6F_5)]$, 22
Toxicity
Synthesis and molecular structure of phenyl and tolylgermatranes, 222
Trans-4-decene
A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $Ru_2(=CHPh)_2(CF_3CO_2)_2(\mu\text{-}CF_3CO_2)_2(PCy_3)_2(\mu\text{-}H_2O)$, 205
Tricarbonylchromium arene complexes
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
Trichloroacetyl chloride
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
Trigonal twist
Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[Et_4N][Mo(CO)_4\{\eta^2\text{-}S_2P(OEt)_2\}]$ and $[Mo(CH_3CN)(\eta^3\text{-}C_3H_5)(CO)_2\{\eta^2\text{-}S_2P(OEt)_2\}]$, 125
Triosmium
Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
Tris(silyl)hydroxylamine
Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242

X-ray
Syntheses and chemistry of Tris(2-pyridyl)phosphine complexes of Group VI transition metals. X-ray structural studies of the molybdenum complexes, 260
X-ray absolute structure
Homogeneous hydrogenation of diphenylacetylene in the presence of $Ru_3(CO)_9L_3$ (L = PPh_3, PEt_3). The crystal structure of $Ru_3(CO)_{10}(PEt_3)_2$: a reaction intermediate?, 83
X-ray structure
Synthesis and crystal structures of two trigonal bipyramidal Sb(V) compounds, R_2SbBr_3 and $R_3Sb(S_2PPh_2)_2$ (R = Me_3SiCH_2), 256

Ytterbium triflate
Catalytic propargylation of aldehydes with allenyltributylstannane by ytterbium triflate, 20

Zeolites
New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
Zirconium
Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5\text{-}C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5\text{-}C_5H_4)_2\}(CH_2Ph)]_2(\mu\text{-}O)$, 134